




MACCHINARI

MACHINERY

.11



CARMELI 1	254
CM/50-2V	256
CM/30-2V	257
3000	258
SAW-300 E SAW-300P	259
T-50/T-50P/T-53	260
VELOX-E/M/V/A	261
ROLLY-340 E ROLLY-440	262
910	263

MACCHINARI

910



SOLLEVATORE TENDE ALLA VENEZIANA
BLIND ASSEMBLY HOIST

DESCRIZIONE

Il sollevatore 910 è stato studiato per l'assemblaggio delle tende in generale: esso permette di controllare la correttezza nella fase di preparazione nonché la qualità della tenda finita.

La tenda viene appesa su un supporto orizzontale fissato ad un sollevatore guidato nel suo movimento verticale da un motoriduttore.

Il comando a pedale controlla il movimento della barra.

DESCRIPTION

The purpose of 910 assembly hoist is assembling of the window blinds.

It gives also a possibility to control the correctness of assembled blind.

The blind is fixed to the orizzontal beam in special holders.

The beam is driven by the motoreductor and moves along a vertical profile.

A foot-operated pedal controls a beam movement.

SPECIFICHE TECNICHE

H = 4000 mm

L = 4000 mm

Misure modificabili a richiesta.

Portata massima 50 kg

TECHNICAL DATA

H = 4000 mm

L = 4000 mm

Other sizes on request.

Carriers load of max 50 kg
